

✓ Jones 2604

✓ Giambelluca 3 on 10/28

Broussard 2:30 in Rm 1017 on 11/4

Thurs. Muniz 3:30

(10/31) - Causeway

Ward - no need to meet

Laurine 10AM

(11/4)

Judd Hobza
Grey Naguin



Ted Adams Trans America Waste Central
18.50 / ton Landfill
includes state & county tax
(601) 795-2500

KELVIN: CIRCLA

504 667 6138

WMI

AMANDA SULLIVAN

tag on door

- American Waste. Jefferson Parish Avondale, LA
- BFI - Colonial Sorrento, LA / Woolworth Rd
Keithville, LA
- Central Landfill..... Millard, MS

⟨R4⟩

Al NueMAN

(404) 562-8589

fax 404 562-8566

Contact #

Landfill call
Ron Shannon
x 7446

Robo Land
Socaba, MS

Kevin
Avondale

MS

Hayll
Trans America
Waste
Karriere, MS


River Road

96

- II. **Site/Contaminant Stability:** The ACM came from a Johns-Manville plant that operated from 1929 to 1975. During plant operations, a asbestos containing aggregate was produced as a by-product. The aggregate was pulverized in a hammer mill and mixed with a filler (usually gypsum, dolomite, or calcite) to form a stable road-bed-like material. This asbestos containing aggregate was then offered to local residents for driveway and servitude construction free-of-charge no later than the mid 1960s. Currently, recent site inspections have observed that the ACM is in various stages of decay; many of the ACM areas having extremely friable asbestos.
- III. **Summarize Human Exposures/Risks:** Asbestos is a group of six naturally occurring fibrous minerals. Through the inhalation route of exposure, asbestos is a known human carcinogen and is one of the primary causes of mesothelioma. Inhalation of asbestos fibers may lead to fibrotic lung disease (asbestosis), cancer of the lung, the pleura, and the peritoneum. There is some evidence that inhalation and ingestion of asbestos fibers may lead to an increased risk of gastrointestinal cancer. Typically, a latency period of between 10 and 30 years exists between exposure to asbestos and the occurrence of apparent health effects.
- IV. **Ecological Risks/Impacts:** It is not expected that there is a major impact to the local ecological system due to the ACM.
- V. **Describe Relevant Programmatic Considerations:** The environmental justice report (EJ) indicates that the area is predominately of minority status and economically stressed. The resident population potentially exposed to friable asbestos includes those persons in houses, schools, daycares, and small businesses. EPA is working closely with the LDEQ and local officials to promote an effective community outreach program.